



easy-trim 
SPECIAL 1
WHATEVER. WEATHER

Easy-Trim Special 1 is a single-component liquid membrane which is fast-curing, free of solvent and UV stable.

Can be applied on wet or dry surfaces, which are free of dust, grease, oil, loose parts and standing water.

Suitable Applications

- Waterproofing terraces and balconies
- Waterproofing and refurbishing roofs
- Waterproofing garden roofs, concrete and timber

Features & benefits

- Easy to use
- Can be applied to the existing membrane
- No odours and solvent-free
- No primer required
- Free of isocyanate
- Excellent adhesion
- Can be applied on a wet substrate
- Quick curing
- Fully UV-stable, avoiding yellowing & staining
- Resistant to standing water and roots proof
- Certified to be used without reinforcement

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product

Product name: Easy-Trim Special 1

1.2. Identified uses Liquid waterproofing

1.3. Details of the supplier of the safety data sheet Name: Easy-Trim Roofing & Construction Products Ltd

Address: 12B Metcalfe Drive

Altham Industrial Estate

Altham

Lancashire

England

BB5 5TU

E-mail address: sales@easy-trim.co.uk

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture The product is classified as hazardous

2.2. Hazard classification and indication: Eye irritation, category 2

H319 - causes serious eyes irritation

2.3. Label elements

Labelling (regulation (ec) no1272/2008)

Hazard pictograms

Hazard statements: H319 EUH208, VINYLTRIMETHOXYSILANE - CAS n. 2768-02-7

Signal words: Warning - Causes serious eye irritation.

Contains: May produce an allergic reaction.

Precautionary statements:

P264: Wash contaminated skin and clothing thoroughly after use

P280: Wear protective gloves/ protective clothing / eye protection / face protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313: If eye irritation persists: Seek medical advice / attention

2.4. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

The product hydrolyzes with methanol formation (CAS No. 67-56-1). Methanol is classified both in relation to physical hazards and health hazards. The speed of hydrolysis and therefore also the relevance for the dangerousness of the product strongly depend on the specific conditions.



3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

In case of doubt or when symptoms of feeling unwell persist, seek medical attention. Never administer anything orally to someone who is unconscious.

Contains: Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

HYDROCARBONS, C14-C19,ISO-ALKANES, CYCLICAL, <2% AROMATIC - CE n. 920-114-2		
CAS 1 ≤ x < 5	Asp. Tox. 1 H304, EUH066, Classification note according to Annex VI to the CLP Regulation: N	
EC 920-114-2		
INDEX		
REACH Reg. 01-2119459347-30-XXXX		
GAMMA-AMINOPROPYLTRIMETHOXYSILANE - CAS n. 13822-56-5		
CAS 13822-56-5 1 ≤ x < 3	Eye Dam. 1 H318, Skin Irrit. 2 H315	EC 920-114-2
EC 237-511-5		
INDEX		
REACH Reg. 01-2119510159-45-XXXX		
CARBON BLACK, amorphous - CAS n. 1333-86-4		
CAS 1333-86-4 0,5 ≤ x < 1	Substance with a community workplace exposure limit	
EC 215-609-9		
INDEX		
REACH Reg. 01-2119384822-32		
VINYLTRIMETHOXYSILANE - CAS n. 2768-02-7		
CAS 2768-02-7 0,5 ≤ x < 1	Flam. Liq. 3 H226, Acute Tox. 4 H332, Skin Sens. 1B H317	
EC 220-449-8	LC50 Inhalation vapours: 16,8 mg/l/4h	
INDEX 014-049-00-0		
REACH Reg. 01-2119513215-52-XXXX		
Bis (2,2,6,6-TETRAMETHYL-4-PIPERIDYLI) SEBACATE - CAS n. 52829-07-9		
CAS 52829-07-9 0 ≤ x < 0,5	Repr. 2 H361f, Eye Dam. 1 H318, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411	
EC 258-207-9		
INDEX		
REACH Reg. 01-2119537297-32-XXXX		
METHANOL - CAS n. 67-56-1		
CAS 67-56-1 0 ≤ x < 0,05	Flam. Liq. 2 H225, Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, STOT SE 1 H370	
EC 200-659-6	STOT SE 2 H371: ≥ 3%	
INDEX 603-001-00-X	STA Oral: 100 mg/kg, STA Dermal: 300 mg/kg, STA Inhalation vapours: 3 mg/l	
REACH Reg. 01-2119433307-44		
HYDROCARBONS, C14-C19,ISO-ALKANES, CYCLICAL, <2% AROMATIC - CE n. 920-114-2		
CAS 1 ≤ x < 5	Asp. Tox. 1 H304, EUH066, Classification note according to Annex VI to the CLP Regulation: N	
EC 920-114-2		
INDEX		
REACH Reg. 01-2119459347-30-XXXX		
METHYL BENZENE - CAS n. 108-88-3		
CAS 108-88-3 0 ≤ x < 0,01	Flam. Liq. 2 H225, Repr. 2 H361d, Asp. Tox. 1 H304, STOT RE 2 H373, Skin Irrit. 2 H315, STOT SE 3 H336, Aquatic Chronic 3 H412	
EC 203-625-9		
INDEX 601-021-00-3		
REACH Reg. 01-2119471310-51		
REACH Reg. 01-2119459347-30-XXXX		

The full wording of hazard (H) phrases is given in this sheet.

HYDROCARBONS, C14-C19,ISO-ALKANES, CYCLICAL, <2% AROMATIC - CE n. 920-114-2

This substance is identified by the CAS number shown in countries not subject to the REACH

Regulation: Name: Hydrocarbons, C14-C19, isoalkanes, <2% aromatics - CAS no. 64742-46-7

Unit 12B, Metcalf Drive,
 Altham Industrial Estate,
 Altham, Lancashire,
 England, BB5 5TU



Tel 01282 930680
 sales@easy-trim.co.uk
 www.easy-trim.co.uk



4. FIRST AID

4.1 First aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. **DO NOT** induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Symptoms and effects, both acute and delayed

Contact with the eyes causes irritation; symptoms may include: redness, edema, pain and tearing. Ingestion can cause health problems, which include abdominal pain with burning, nausea and vomiting.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Avoid breathing combustion products (carbon oxides, toxic pyrolysis products, etc.).

In case of fire, hazardous fumes and gases may develop: carbon oxides, silicon oxide, nitrogen oxides, tin oxides, toxic and very toxic fumes.

5.3. Advice for firefighters

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard. Wear suitable protective equipment to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Observe good personal hygiene practices and recommended procedures. Handle the product after having consulted all other sections of this safety data sheet. Avoid contact with eyes, skin and clothing. Ensure that you have a eye bath and safety shower ready for use. Do not inhale product fumes, vapours, mists or aerosols. Do not eat, drink or smoke during use. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering the dining hall. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store only in original container. Keep containers tightly closed when not in use, in a cool, dry, well-ventilated place, away from direct sunlight. Keep away from sources of heat or ignition. Protect from physical damage. Store containers away from any incompatible materials.



8. DISPOSAL CONSIDERATIONS

8.1 Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

9. TRANSPORT INFORMATION

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

10. REGULATORY INFORMATION

10.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Category - Directive 2012/18/EU

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3-40

Contained substance

Point 75

Point 52

Point 48

Point 20

PHTHALATE DI-ISONONYL(DINP) - CAS n. 28553-12-0 REACH Reg.: 01-2119430798-28 METHYL BENZENE - CAS n. 108-88-3 - REACH Reg.: 01-2119471310-51

Derivates of Bis-(acetyloxy)-di-octyl-stannane -

CAS n. 93925-43-0 REACH Reg.: 01-2120753666-44

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

ATTENTION: Substances subject to export notification obligation - Reg. (EC) 649/2012: Derivatives of Bis- (acetyloxy) dioctylstan-nan - CAS n. 93925-43-0 - (DIOCTYL TIN COMPOUNDS)

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.